

THE SWEDISH TRANSPORT AGENCY

COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾/~~APPROVAL EXTENDED ⁽⁴⁾/~~
~~APPROVAL REFUSED ⁽⁴⁾/~~ ~~APPROVAL WITHDRAWN ⁽⁴⁾/~~ ~~PRODUCTION DEFINITELY~~
~~DISCONTINUED ⁽⁴⁾~~ OF A TYPE OF REAR UNDERRUN PROTECTIVE DEVICE (RUPD) PURSUANT
TO UN REGULATION NO 58.



Approval No: E5*58R03/02*0034*00 Corr.01

Reasons for correction:

- 1) Editorial changes to manufacture's name and address
- 2) Correcting manufacturer's representative in point 4.
- 3) Correcting test report number and date in point 13 and 14

1. Trade name or mark of device: JOAB
2. Device type: Rear Underrun Protection / RAB, Asphalt beam
3. Name and address of manufacturer:

JOAB Försäljnings AB
Östergärde Industriområde
417 29 Göteborg
Sweden
4. If applicable, name and address of manufacturer's representative: Not applicable
5. Characteristics of the device (dimensions and its fixing elements): See test report
6. Test conducted ~~on a vehicle~~ / on a representative part of the chassis of a vehicle ⁽¹⁾
7. Position on the device of the points of application of the test forces: See test report

8. Maximum horizontal and vertical deflection observed during and after the application of the test forces in Annex 5:

See test report
9. Restrictions on application

Vehicles on which the device may be installed (if applicable): N3

Characteristics of the chassis to which the device may be installed (e.g. stiffness, profile dimensions,...) (if applicable):

In accordance with manufacturer instructions
10. Maximum mass of vehicle on which the device may be installed:

In accordance with manufacturer instructions
11. Device submitted for approval on: 5th May 2021
12. Technical Service responsible for conducting approval tests:

AVL MTC AB
Armaturvägen 1
SE-136 23 Haninge
13. Date of report issued by that service: 22 June 2021
14. Number of report issued by that service: TR*AVLMTC*ECE R58-03*0045*00
15. Approval GRANTED/REFUSED/EXTENDED/WITHDRAWN in respect of the RUPD ⁽¹⁾
16. Position of approval mark on the device:

ECE approval mark on the left upper side of the protection beam fixed with permanent acrylic adhesive

See drawing/ 1021291

17. Place: Borlänge

18. Date: 06 AUGUST 2021

19. Signature:

Khairi Arafah



Type Approval Certification Officer

20. The following documents, bearing the approval number shown above, are available upon request:

Drawings, diagrams and layout plans of the components of the structure considered to be of importance for the purposes of this Regulation;

Detailed information about the devices representing the vehicle structures used for the mounting of the RUPD (e.g. moment of inertia of the beams);

Where applicable drawings of the protective devices and their position on the vehicle.

Any remarks: None

(1) Strike out what does not apply