



POWER TO LIFT

HMF 340K-RC

The HMF 340K-RC is a sturdy and versatile crane with great flexibility for a wide range of different tasks.



High lifting capacity in a horizontal boom position

The HMF 340K-RC is a compact knuckle boom crane with an excellent lift-to-weight ratio. This crane is in a compact design with a short platform length which offers good utilisation of the truck body which ultimately means lower cost of ownership.

The crane is furthermore reliable and sturdy and can be used for a wide range of different tasks. The link arm on the jib provides a high lifting capacity at long reach in a horizontal boom position. This crane is also available with a width of 2.0 m in order to suit most vehicles.

Main benefits


- Radio remote control system for total freedom
- Very compact design
- Long lifespan

| PERFORMANCE | 340-K1 | 340-K2 | 340-K3 |
|---------------------------------------|--------|--------|--------|
| Load Moment (tm) | 3,2 | 3,2 | 3,2 |
| Hydraulic reach (m) | 4,39 | 5,76 | 7,15 |
| Weight excl. stabilizers (Kg) | 418 | 468 | 508 |
| Weight of stabilizers, standard (Kg) | 72 | 72 | 72 |
| Lift-to-weight ratio | 6,5 | 5,9 | 5,5 |
| Slewing Angle (°) | 370 | 370 | 370 |
| Slewing torque (kgm) | 550 | 600 | 600 |
| Working pressure (bar) | 220 | 240 | 240 |
| GEOMETRY | | | |
| Height above mounting surface (mm) | 1591 | 1591 | 1591 |
| Width, folded, standard (mm) | 1700 | 1700 | 1700 |
| Length of crane, no extra valves (mm) | 516 | 516 | 516 |


Lifting Capacity




340-K1-RC



340-K2-RC



340-K3-RC



Basics

HMF 340K-RC

| |
|--|
| RCL safety system |
| Single power plus link arm system |
| Environmentally friendly quality coating - EQC |

Options

| |
|--|
| Control systems |
| Radio remote control Mini - RC-MIN |
| Electrical options |
| Spotlight |
| Voltage |
| Extra valves |
| Extra valves in hose guides |
| Hydraulics |
| Biodegradable oil |
| High-pressure filter |
| Oil tank 20 l mounted on the crane |
| Mechanical options |
| Manual extension |
| Crane orientation |
| Mounting bolt kit |
| Mechanical slew limitation |
| Crane width |
| Stability and safety |
| Alarm flash on stabilizer legs |
| Beam and height warning - BEHEW |
| Safety system for cranes without CE equipment incl. spirit level |
| Load-holding valve on slewing |
| CE Safety system for crane with radio remote control |
| Colours |
| RAL colors |